

Search Results

BROWSE

SEARCH

IEEE Xplore GUIDE

SUPPORT

Results for "((lin h. c.)<in>au)"

Your search matched **151** of **1807320** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail printer friendly

 New [Beta]
Application Notes

 REGISTER AT
GLOBALSPEC
Search Options
[View Session History](#)
[New Search](#)
Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((lin h. c.)<in>au)

Search >

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/ET

Books

Educational Courses

Application Notes [Beta]

IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#) [Select All](#) [Deselect All](#)
View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

- ☐ **1. On the Homogenization of Multilayered Interconnect for Interfacial Fracture Analysis**
 Chiu, T.-C.; Lin, H.-C.;
[Components and Packaging Technologies, IEEE Transactions on \[see also Components, Packaging and Manufacturing Technology, Part A: Packaging Technologies, IEEE Transactions on\]](#)
 Volume 31, [Issue 2](#), June 2008 Page(s):388 - 398
 Digital Object Identifier 10.1109/TCAPT.2008.916839
[AbstractPlus](#) | Full Text: [PDF\(839 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **2. Submicrometer Inversion-Type Enhancement-Mode InGaAs MOSFET With Atomic-Layer-Deposited Al₂O₃ as Gate Dielectric**
 Xuan, Y.; Wu, Y.Q.; Lin, H.C.; Shen, T.; Ye, P.D.;
[Electron Device Letters, IEEE](#)
 Volume 28, [Issue 11](#), Nov. 2007 Page(s):935 - 938
 Digital Object Identifier 10.1109/LED.2007.906436
[AbstractPlus](#) | Full Text: [PDF\(175 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **3. Inter-Harmonic Identification Using Group-Harmonic Weighting Approach Based on the FFT**
 Lin, H. C.;
[Power Electronics, IEEE Transactions on](#)
 Volume 23, [Issue 3](#), May 2008 Page(s):1309 - 1319
 Digital Object Identifier 10.1109/TPEL.2008.921067
[AbstractPlus](#) | Full Text: [PDF\(1024 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. Using Dynamic Control Frames to Reduce Packet Delays in Transceiver Array-Based Single-Hop WDM Networks**
 Lin, H.-C.; Liu, P.-S.;
[Lightwave Technology, Journal of](#)
 Volume 26, [Issue 7](#), April 1, 2008 Page(s):742 - 755
 Digital Object Identifier 10.1109/JLT.2007.916495
[AbstractPlus](#) | Full Text: [PDF\(674 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **5. A Novel Calibration Algorithm With Unknown Line-Series-Shunt Standards for Broadband S-Parameter Measurements**
Huang, C.-C.; Lin, H.-C.;
[Instrumentation and Measurement, IEEE Transactions on](#)
Volume 57, [Issue 5](#), May 2008 Page(s):891 - 896
Digital Object Identifier 10.1109/TIM.2007.915121
[AbstractPlus](#) | Full Text: [PDF\(506 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **6. A Monolithic Mos-Bipolar Audio Amplifier**
Lin, H. C.; Iyer, Ramachandra;
[Broadcast and Television Receivers, IEEE Transactions on](#)
Volume 14, [Issue 2](#), July 1968 Page(s):80 - 86
Digital Object Identifier 10.1109/TBTR1.1968.4320132
[AbstractPlus](#) | Full Text: [PDF\(1376 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **7. DC and transmission line models for a high electron mobility transistor**
Huang, D.-H.; Lin, H.C.;
[Microwave Theory and Techniques, IEEE Transactions on](#)
Volume 37, [Issue 9](#), Sept. 1989 Page(s):1361 - 1370
Digital Object Identifier 10.1109/22.32219
[AbstractPlus](#) | Full Text: [PDF\(692 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **8. A novel A/D converter using resonant tunneling diodes**
Kuo, T.-H.; Lin, H.C.; Potter, R.C.; Shupe, D.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 26, [Issue 2](#), Feb. 1991 Page(s):145 - 149
Digital Object Identifier 10.1109/4.68130
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **9. The vertical integration of crystalline NMOS and amorphous orientational edge detector**
Lin, H.-C.; Sah, W.-J.; Lee, S.-C.;
[Electron Devices, IEEE Transactions on](#)
Volume 39, [Issue 12](#), Dec. 1992 Page(s):2810 - 2812
Digital Object Identifier 10.1109/16.168732
[AbstractPlus](#) | Full Text: [PDF\(276 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **10. Dynamic hysteresis of the RTD folding circuit and its limitation on the A/D converter**
Wei, S.-J.; Lin, H.C.; Potter, R.C.; Shupe, D.;
[Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on \[see also Circuits and Systems II: Express Briefs, IEEE Transactions on\]](#)
Volume 39, [Issue 4](#), April 1992 Page(s):247 - 251
Digital Object Identifier 10.1109/82.136576
[AbstractPlus](#) | Full Text: [PDF\(380 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **11. CMOS chopper amplifier for chemical sensor**
Wei, S.-J.; Lin, H.C.;
[Instrumentation and Measurement, IEEE Transactions on](#)
Volume 41, [Issue 1](#), Feb. 1992 Page(s):77 - 80
Digital Object Identifier 10.1109/19.126636
[AbstractPlus](#) | Full Text: [PDF\(348 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-

- ☐ **12. Multivalued SRAM cell using resonant tunneling diodes**
 Wei, S.-J.; Lin, H.C.;
[Solid-State Circuits, IEEE Journal of](#)
 Volume 27, [Issue 2](#), Feb. 1992 Page(s):212 - 216
 Digital Object Identifier 10.1109/4.127345
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **13. A dynamic load-balancing policy with a central job dispatcher (LBC)**
 Lin, H.-C.; Raghavendra, C.S.;
[Software Engineering, IEEE Transactions on](#)
 Volume 18, [Issue 2](#), Feb. 1992 Page(s):148 - 158
 Digital Object Identifier 10.1109/32.121756
[AbstractPlus](#) | Full Text: [PDF\(936 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **14. Multiple-valued counter**
 Kuo, T.-H.; Lin, H.C.; Potter, R.C.; Schupe, D.;
[Computers, IEEE Transactions on](#)
 Volume 42, [Issue 1](#), Jan. 1993 Page(s):106 - 109
 Digital Object Identifier 10.1109/12.192219
[AbstractPlus](#) | Full Text: [PDF\(292 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **15. A self-latching A/D converter using resonant tunneling diodes**
 Wei, S.-J.; Lin, H.C.; Potter, R.C.; Shupe, D.;
[Solid-State Circuits, IEEE Journal of](#)
 Volume 28, [Issue 6](#), June 1993 Page(s):697 - 700
 Digital Object Identifier 10.1109/4.217986
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **16. Fabrication and properties of DC-sputtered Ti-1223 superconducting thin films**
 Juang, J.Y.; Horng, J.H.; Lin, H.C.; Wang, S.J.; Wu, K.H.; Uen, T.M.; Gou, Y.S.; Fu, C.M.;
[Applied Superconductivity, IEEE Transactions on](#)
 Volume 5, [Issue 2](#), Part 2, Jun 1995 Page(s):1689 - 1692
 Digital Object Identifier 10.1109/77.402901
[AbstractPlus](#) | Full Text: [PDF\(332 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **17. Schottky barrier thin-film transistor (SBTFT) with silicided source/drain and field-induced drain extension**
 Lin, H.C.; Yeh, K.L.; Huang, R.G.; Lin, C.Y.; Huang, T.Y.;
[Electron Device Letters, IEEE](#)
 Volume 22, [Issue 4](#), April 2001 Page(s):179 - 181
 Digital Object Identifier 10.1109/55.915606
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(76 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **18. A Simple and Low-Cost Method to Fabricate TFTs With Poly-Si Nanowire Channel**
 Lin, H.-C.; Lee, M.-H.; Su, C.-J.; Huang, T.-Y.; Lee, C.C.; Yang, Y.-S.;
[Electron Device Letters, IEEE](#)
 Volume 26, [Issue 9](#), Sept. 2005 Page(s):643 - 645
 Digital Object Identifier 10.1109/LED.2005.853669
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(360 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-

- ☐ **19. Reducing Packet Delay in Single-Hop WDM Networks Using Fixed Transceiver Array and Adaptive Channel Allocation**
 Lin, H.-C.; Liu, P.-S.;
[Lightwave Technology, Journal of](#)
 Volume 24, [Issue 12](#), Dec. 2006 Page(s):4925 - 4935
 Digital Object Identifier 10.1109/JLT.2006.884495
[AbstractPlus](#) | Full Text: [PDF](#)(420 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **20. High-performance TFTs with Si nanowire channels enhanced by metal-induced lateral crystallization**
 Su, C.-J.; Lin, H.-C.; Huang, T.-Y.;
[Electron Device Letters, IEEE](#)
 Volume 27, [Issue 7](#), July 2006 Page(s):582 - 584
 Digital Object Identifier 10.1109/LED.2006.877708
[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **21. Accuracy of effective channel-length extraction using the capacitance method**
 Yao, C.T.; Mack, I.A.; Lin, H.C.;
[Electron Device Letters, IEEE](#)
 Volume 7, [Issue 4](#), Apr 1986 Page(s):268 - 270
[AbstractPlus](#) | Full Text: [PDF](#)(352 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **22. Comments on "Small geometry MOS transistor capacitance measurement method using simple on-chip circuits"**
 Yao, C.T.; Lin, H.C.;
[Electron Device Letters, IEEE](#)
 Volume 6, [Issue 1](#), Jan 1985 Page(s):63 - 63
[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **23. Depletion-layer calculations of a double-diffused junction**
 Lin, H.C.;
[Electron Devices, IEEE Transactions on](#)
 Volume 27, [Issue 9](#), Sep 1980 Page(s):1839 - 1841
[AbstractPlus](#) | Full Text: [PDF](#)(328 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **24. A complementary DMOS-VMOS IC structure**
 Jhabvala, M.; Lin, H.C.;
[Electron Devices, IEEE Transactions on](#)
 Volume 25, [Issue 7](#), Jul 1978 Page(s):848 - 850
[AbstractPlus](#) | Full Text: [PDF](#)(424 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **25. MONOS memory element**
 Keshavan, B.V.; Lin, H.C.;
[Electron Devices, IEEE Transactions on](#)
 Volume 16, [Issue 2](#), Feb 1969 Page(s):258 - 258
[AbstractPlus](#) | Full Text: [PDF](#)(192 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-

View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)